



GERBER
EDGE FX™



THERMAL TRANSFER PRINTER



GERBER EDGE FX



THE POSSIBILITIES ARE ENDLESS



The GERBER EDGE FX is a digital printing solution that is ideal for any business which creates outdoor signage, indoor displays, and other specialty graphics. EDGE FX's exceptional color and material range provides unsurpassed versatility, accommodating a wide range of applications in a single, affordable printing and contour cutting system. The GerberColor™ FX foil line features Spot, Process, Transparent, Medal, L.T. Heat Transfer, Finishing, and Special Effects Series, enabling unique effects and a wide gamut for color matching. The full selection of EDGE READY™ Materials includes cast and calendered vinyls in addition to a breadth of specialty materials such as magnetic, reflective, metallic colors, heat transfer, label stock, and much more. The EDGE FX is ideal for any business that creates visual signage including screen printers, sign companies, exhibit houses, trophy shops, fleet graphics artists, museums, and ad specialty sellers. And with applications as diverse as their businesses—EDGE FX is perfect for:

SCREEN PRINTERS	SIGN SHOPS	EXHIBIT HOUSES	FLEET GRAPHICS ARTISTS	AD SPECIALTY SELLERS
<ul style="list-style-type: none"> Prototypes Repeats Resizing Decals Labels Sequential Numbering Screen Film Positives In-House Custom <ul style="list-style-type: none"> Die Cutting Customized Output Variable Data 	<ul style="list-style-type: none"> Dimensional Signs Menu Boards Magnetic Signs Banners ID Signs Directional Signs & Maps Real Estate Signs Window Graphics 	<ul style="list-style-type: none"> Booth Headers Tradeshaw Graphics Banners Promotional Items 	<ul style="list-style-type: none"> Car & Truck Service Vehicles Taxis & Buses Boat Lettering Vehicle Window Emergency Vehicle Reflective 	<ul style="list-style-type: none"> OSHA Approved Signs Banners Reflective Signs Temporary Signs Lexan®-Based Control Panels using Gerber's LexEdge™ materials Trophy & Award Plaques Floor Graphics POP Displays Window Signs Helmet Graphics Short Run T-shirts



FEATURES AND BENEFITS

FEATURES	BENEFITS
Thermal transfer printing technology	<ul style="list-style-type: none"> • Exceptional outdoor durability without lamination in most applications • High abrasion resistance • Prints on the widest range of substrates • Outstanding color range and expanded application capabilities via seven specialized foil series, including spot, process, white metallics, and other specialty foils • Shop-friendly: low maintenance, no odor, no ventilation, no drying, no mess • Increase productivity on labor intense jobs • Create new opportunities with photos, fades, shadows, and other special effects
GerberColor SpectraTone™ Color Matching System	<ul style="list-style-type: none"> • Creates over 3,000 pure, vibrant colors • Create OMEGA™-generated simulations of solid Pantone® Colors • Easy, consistent color matching without special tools or techniques
Advanced GerberColor FX Foil System	<ul style="list-style-type: none"> • Sharp, clean print quality on a consistent basis • Enhanced workflow via Smart GerberGauge™ RFID technology • Lower cost of output via refillable GerberColor foil caddies and multiple GerberColor foil insert lengths
Unique EDGE READY Materials	<ul style="list-style-type: none"> • Endless applications via over 30 different material types • Handle diverse customer needs with cast and calendered vinyls, reflective, magnetic, Lexan®, static cling, and much more
Optimized design for ease of use	<ul style="list-style-type: none"> • Quick start up and shut down • Low maintenance requirements • Limited training required • Minimal GerberColor foil loading and unloading time
Compact, small footprint	<ul style="list-style-type: none"> • Requires limited shop space • Adds capacity to an existing shop
Total print and cut solution (with the addition of an FX-compatible Gerber plotter)	<ul style="list-style-type: none"> • Excellent feed and registration accuracy • Predictable output from start to completion
Robust design / Made in the U.S.A.	<ul style="list-style-type: none"> • Exceptional reliability, proven with over 10,000 EDGE® units in operation • Local, experienced service and support resources



Pantone is a registered trademark of Pantone, Inc.

Lexan is a registered trademark of GE Plastics Corporation.

GERBER EDGE FX™

UNSURPASSED
VERSATILITY AND
PERFORMANCE

HIGHLY-PROFITABLE
SHORT-RUN
GRAPHICS

EXCEPTIONAL
COLOR RANGE

SHOP-FRIENDLY
PRINTING SOLUTION



The GERBER EDGE FX is an advanced digital printing solution that is designed for sign makers, screen printers, and other graphics professionals seeking to quickly produce indoor and outdoor highly-customized, highly-profitable short-run graphics. The EDGE FX is a thermal transfer device that uses heat and pressure to transfer resin-based pigments to over 30 different substrates. EDGE FX provides an exceptional color range with its GerberColor™ FX foil line and Spectratone™ color matching process. The foil line features GerberColor Spot, Process, Transparent, Medal, L.T. Heat Transfer, Special Effects, and Finishing Series. EDGE FX accommodates a variety of materials including cast, calendered, magnetic, reflective, metallic, polyester label stock, holographic, and much more. The EDGE FX is part of a total print-and-cut solution through the Gerber Matched Technology System™.

STANDARD FEATURES

EDGE FX is a shop-friendly printing solution that is exceptionally easy to use. The **small system footprint** requires minimal shop space, occupying less than 6' of table space for the total print and cut setup. The efficient, environmentally-friendly thermal printing process produces instantly dry prints with no waste, odor, or harmful emissions and has no ventilation requirements.

This new generation EDGE® printer has been thoroughly transformed and optimized to provide efficient workflow and maximum productivity. The **user interface** is simple and easy to use, enabling virtually any user to quickly learn and operate the EDGE FX. Consisting of operational and setup menus, operators can quickly navigate through the intuitive job and support options. The display guides the user through the printing process to ensure error-free output. A convenient web status feature allows users to view the printer status and change settings via any network browser.

EDGE FX features a **network-friendly Ethernet connection** to maximize data throughput and

reliability. It's designed to interface with either a direct connection to the computer or with a network connection through a network hub or switch. Jobs can be sent using GERBER'S OMEGA™ design and production software or third party software packages.

EDGE FX employs an **advanced foil system** that includes the new GerberColor FX foil cartridge assembly. Operators can rapidly insert and remove the assembly via a slide-in door on the side of the unit without lifting the cover. The GerberColor FX foil cartridge assembly consists of a re-useable EDGE FX foil caddy and removable foil insert. Completely re-loadable, the foil caddy can accommodate 15m, 45m, and 91m foil lengths, which enable shops to order foil amounts that best match their needs. This modular design also reduces waste and improves the cost of output.

The EDGE FX and GerberColor foil system features **intelligent RFID (radio frequency identification) technology** to accelerate production and help prevent costly errors. An RFID tag is included with each foil insert and contains color and foil ID information. An RFID reader/writer

device is integrated into the printer, which acts as a Smart GerberGauge™ by continually updating the tag with the remaining foil length. During jobs, the EDGE FX compares the foil ID and actual roll length to the job requirements and notifies the operator of any discrepancies. If the incorrect foil is loaded, the EDGE FX allows the user to replace the foil or make an on-the-fly substitution so jobs quickly continue to print with an alternate foil. In the Continuous Print Mode, the EDGE FX recognizes the foil present and begins printing immediately upon insertion, providing rapid production with minimal operator intervention.

EDGE READY™ Materials are the specified substrates for EDGE FX. They are processed, prepared, and qualified for optimum image quality. EDGE FX allows operators to load the material before or after the job is sent to the printer, and the user is prompted via the user interface screen. Once installed on the table roll holder, the material is loaded onto the patented sprocket roller and held in place with the bail arm. This type of sprocketed material loading system moves the material through the EDGE FX consistently, ensuring that registration is always on, and the print-to-cut accuracy is maintained.

SPECIFICATIONS


EDGE FX is one component in **Gerber's Matched Technology System, a complete print-to-cut solution.** With the addition of a sprocketed plotter, shops now have a completely integrated system. Gerber offers a broad selection of rugged and reliable cutting plotters to meet virtually every shop requirement. After printing, operators simply load the materials into the cutting plotter, register using the tool provided, and contour cut with speed and accuracy. This print-to-cut workflow greatly reduces weeding requirements, speeds production, and improves quality and consistency.

GERBER EDGE FX

TECHNICAL INFORMATION



PRINTING TECHNOLOGY	Thermal transfer, tuned, and optimized
PRINT RESOLUTION	300 or 600 dpi on material axis 300 dpi on head axis
PRINT SPEED	
BASE SPEED @ 300 DPI	Up to 60" (1,524 mm) per minute per color
1 COLOR	290 ft ² /hr
4 COLOR	60 ft ² /hr
MEDIA FEED	Patented sprocket feed
MEDIA WIDTH	15" punched media
MAX. PRINT WIDTH	11.8" (30 cm)
MAX. PRINT LENGTH	Largest paneled print size limited only by computer resources and length of consumables
FOIL MONITORING SYSTEM	RFID
IMAGING FOILS	GerberColor FX foil family and caddy Not compatible with ColorSet™ foils
MATERIALS/SUBSTRATES	EDGE READY materials consisting of cast and calendared vinyl, magnetic, reflective, temporary/changeable films, Lexan®-based films, polyester label stock, and much more
COLOR TYPES AND STANDARDS	Spot, Process, Transparent, Medal, L.T. Heat Transfer, Special Effects, and Finishing Series Over 3,000 OMEGA-generated GerberColor Spectratone solid colors, including OMEGA-generated simulations of solid Pantone® Colors More than 50 GerberColor spot colors
OUTDOOR DURABILITY	3 to 5 years without lamination in most applications
CONNECTIVITY	Ethernet TCP/IP
PRINTER DIMENSIONS	36" (w) x 18" (h) x 17" (d)
PRINTER WEIGHT	82 lbs
PACKAGE DIMENSIONS	39" (w) x 24" (h) x 20.5" (d)
PACKAGE WEIGHT	110 lbs
POWER	100–240 VAC +/- 10%, 47–63 Hz, 10 Amps
OPERATING TEMPERATURE	50–95° F
OPERATING HUMIDITY	20–90% relative humidity, non-condensing
VENTING	No ventilation required
SOFTWARE COMPATIBILITY	GERBER OMEGA 2.1 or later Also supported by leading 3rd party software
APPLICABLE STANDARDS	UL, CE, CSA, FCC
INCLUDED ACCESSORIES	Power cable (14.5'), CAT 5 cross-over Ethernet cable, thermal print head cleaning kit, two 10 amp fuses, replacement foil squeegee, two replacement material squeegees, 3M Scotchcal™ 220 Series white film—10 yard roll, foil caddy, GerberColor FX foil insert—spot raspberry 15 meter roll, and roll holder



02/05 Specifications are subject to change without notification.

Lexan is a registered trademark of GE Plastics Corporation.

Pantone is a registered trademark of Pantone, Inc.

Scotchcal is a trademark of 3M.

© 2005 Gerber Scientific Products

P79025A



ABOUT GERBER SCIENTIFIC PRODUCTS

Since 1980 Gerber Scientific Products has supplied the sign making and specialty graphics industry with products and services that have revolutionized the way the world creates signs and other related visual media. We are the world leader in the development and manufacturing of computerized sign making and specialty graphics systems, software, materials, and accessories. Our proven start-to-finish digital design, printing, and production products are carefully integrated to provide graphics professionals with comprehensive engineered solutions for every digital color printing and dimensional signage need.

And our development efforts are an ongoing process. We believe the basis for innovation is listening—then applying our creative minds, innovative engineering, and outstanding workmanship to meet real world needs. And we've paid attention. The "Voice of the Customer"™ convinced us to embrace one of our industry-icon products and transform it to a next generation thermal transfer printer. So we identified a list of requirements, and in the end, we created EDGE FX, a simple, smart, affordable printer that performs job after job for all types of sign makers worldwide.

 **GERBER SCIENTIFIC PRODUCTS**

A Gerber Scientific Company

INNOVATION FIRST

The first choice of graphics professionals with an eye for creativity and a head for business. Innovative, dependable systems, completely integrated for specialty graphics and sign design and production.

Software

Printers

Plotters

Routers

Materials & Supplies

Gerber Service